

Date Prepared: MSDS No.: Revision No.: 4

5.16.2023 Model Sep

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT DESCRIPTION: Model Sep

USE OR APPLICATION: Stone Separator

Company Information:	<u>USA</u>	International
Company Name:	Harvest Dental Products, LLC	Harvest HPdent GmbH
Street:	905 Columbia St.	Erwin-Dietrich-Straße 5
City/ Zip:	Brea, 92821	78244 Gottmadingen
State/ Province:	California	BW
Country:	USA	Germany
Telephone:	1+714-674-7400	+49 7731 38 11 044
Emergency Telephone:	Infotrac: 1+800-535-5053	Infotrac INTL: 1+352-323-3500 (Collect)

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health: Eye Irritation, Category 2 Narcotic Effects, Category 3 Physical: Flammable Liquids, Category 2

SIGNAL WORD: Danger

GHS LABEL ELEMENTS

HAZARD STATEMENTS

H226: Flammable liquid and vapor.

H305: May be harmful if swallowed and enters airways

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H373: May cause damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENTS

P210: Keep away from heat/sparks/open flames & hot surfaces - no smoking.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash skin and hands thoroughly after handling.

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact Lenses if present and possible. Continue rinsing.

P312: Call POISON CENTER or doctor/physician if you feel unwell.



Date Prepared:5.16.2023MSDS No.:Model SepRevision No.:4

P303+P361+P353: If on skin (or hair): Remove all contaminated clothing. Rinse skin with water/shower. P304+P340: If inhaled: Remove to fresh air and keep at rest in a position comfortable for breathing.

STORAGE:

P403+P233: Store in a well-ventilated place. Keep container tightly closed. P405: Store locked up.

DISPOSAL:

Dispose of contents and container in accordance with all local, regional, national and International regulations.

SUPPLEMENTAL LABEL ELEMENTS:

Avoid contact with skin and clothing. Wash thoroughly after handling.

Hazards not otherwise classified:

Prolonged or repeated contact may dry skin and cause irritation.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear, colorless liquid. **IMMEDIATE CONCERNS:** R/36/37/38: Irritating to eyes, respiratory system and skin.

POTENTIAL HEALTH EFFECTS

EYES: Severely irritating. If not removed promptly, will injure eye tissue, which may result in permanent damage.

SKIN: Prolonged or repeated contact may cause skin irritation.

INGESTION: Ingestion may cause headache, dizziness, fatigue and CNI depression.

INHALATION: May cause headaches and dizziness.

MEDICAL CONDITIONS AGGRAVATED: Pre-existing eye and skin disorders or lung allergies may be aggravated by exposure.

ROUTES OF ENTRY: Inhalation or direct contact with skin or eyes.

IRRITANCY: Irritating to eyes, respiratory system and skin.

SENSITIZATION: May cause allergic skin reaction.

HEALTH HAZARDS: Danger of cumulative effects.

PHYSICAL HAZARDS: Flammable liquid and vapor. Harmful if swallowed or inhaled. Causes irritation to skin, eyes and respiratory tract. Affects CNS.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Under GHS-OSHA 4.11 the precise composition of this product is withheld as confidential business information (CBI). A more complete disclosure can be provided to a health, or safety professional when necessary. **SUBSTANCES or MIXTURE:** Mixture

Ingredients	%	Hazard Symbols	Risk Phrases	CAS No	EINECS
Naphtha Light Aliphatic (petroleum) (*)	25-35	Xn	10-65	64742-89-8	289-220-8
Isopropyl alcohol (isopropanol)	34-45	F; Xi	11-36-67	67-63-0	200-661-7



Date Prepared:5.16.2023MSDS No.:Model SepRevision No.:4

(*) This substance is not considered toxic according to Directive 2008/58/EC, Annexes 1A and $1\mathrm{C}$

4. FIRST AID MEASURES

4.1	Eye:	Flush with plenty of water also under eyelids for at least 15 minutes.
4.2	Skin:	Wash with soap and water. If irritation occurs, consult a physician.
4.3	Inhalation:	Move to fresh air, and provide oxygen if breathing is difficult. Get medical attention.
4.4	Ingestion:	Do not induce vomiting. Give large amounts of water. Get medical attention.

5. FIRE FIGHTING MEASURE

5.1	Suitable Extinguishing media:	Carbon dioxide, alcohol foam, dry chemicals
5.2	Forbidden extinguishing Media:	Direct water flow.
5.3	Special firefighting measures:	None
5.4	Unusual fire and explosion hazard:	None.
5.5	Special protection equipment:	Sealed overalls; self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions:	Impervious gloves, safety glasses, lab coat or apron, in case of a
	Environmental	dangerous high concentration use a respirator with filter.
6.2	Precautions:	Avoid product spillage in sewage or drainage. Limit leakage and
		keep away from ignition sources.
6.3	Reclaiming Methods:	Avoid ignition sources. Absorb with paper towel or allow evaporation
		in hooded area. Flush area with water.

7. HANDLING AND STORAGE

7.1	Handling precautions:	Keep away from ignition source. Keep container tightly closed.
7.2	Precautions in case of fire:	Keep away from sources of ignition. No smoking.
7.3	Storage conditions:	Store product at room temperature.
7.4	Suggested container:	Original sealed containers provided by manufacturer.
7.5	Environmental	
1.5	Precautions:	Do not allow product to reach sewers and rivers.
7.6	Other precautions:	Use according to directions.



Date Prepared:5.16.2023MSDS No.:Model SepRevision No.:4

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Exposure Limits:	Naphtha Light Aliphatic (petroleum)	500 ppm TWA OSHA PEL 500 ppm Skin TWA, 400 ppm STEL
8.2	Exposure Controls:	Use in well ventilated area.	500 ppm skin t wA, 400 ppm stel
8.3	Ventilation: Local exhaust ventilation:	Appropriate	
	Special ventilation:	None	
	Mechanical ventilation:	None	
	Other Ventilation:	None	
8.4	Respiratory Protection:	Avoid vapor inhalation. In case of da	ngerous high concentration use a
		respirator with approved filter.	
8.5	Hands Protection:	Impervious gloves, nitrilic type.	
8.6	Eyes Protection:	Safety glasses.	
8.7	Skin Protection:	Handle in accordance with good pers	sonal hygiene and safety practices.
8.8	Other:	None.	
8.9	Environmental exposure co		Not applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	General information:			
	Appearance:	Colorless Liquid.		
	Odor:	Petroleum odor.		
9.2	Information related to health	, safety and environment		
	pH:	Not determined (N/D)	Relative density:	NA
	Boiling point:	85°C	Specific gravity:	0,83 g/ml @ 20°C
	Flash Point:	'13°C (55.4°F) (TCC)	Solubility:	Insoluble
	Flammable:	Yes	Viscosity (dynamic):	< 2500 cP @ 23°C
	Lower Explosivity Limit:	2,0	Viscosity (cinematic)	> 700 mm2/s @ 23°C
	Upper Explosivity Limit:	12,7	Vapor density (air=1):	ND
	Oxidation:	None	Evaporation rate:	ND
	Vapor Pressure:	NA	Melting point:	NA
9.3	Other information (according	to communitarian directiv	e 94/9/EC)	
	Miscibility:	Not determined.	Conducibility:	Not determined.
	Solubility in Lipids:	Not determined.	Gases Group:	Not determined.

10. STABILITY AND REACTIVITY



Date Prepared:5.16.2023MSDS No.:Model SepRevision No.:4

10.1	Stability:	Stable
10.2	Conditions to avoid:	Heat, flames, and sparks.
10.3	Materials to avoid:	Strong oxidizing agents.
10.3 10.4 10.5	Hazardous decomposition products: Further information:	Carbon dioxide and carbon monoxide, hydrocarbons. Not determined

11. TOXICOLOGICAL INFORMATION

11.1	Acute oral toxicity:	LD 50 Rat: > 4570 mg/kg
11.2	Acute inhalation toxicity:	LC 50 RAT: 30 mg/1, 4 h
11.3	Acute dermal toxicity:	LD 50 Rat: > 13400 mg/kg
11.4	Irritation and corrosivity:	Can be mildly irritating to eyes, skin and respiratory.
11.5	Sensitizing effects:	No sensitizing effects.
11.6	Effects after prolonged exposure:	Unknown.
11.7	Toxic-kinetic effects:	Unknown.
11.8	Effects on metabolism:	Unknown.

12. ECOLOGICAL INFORMATION

12.1	Toxicity:	This product has no known ecological hazardous effects.
12.2	Mobility:	Respective data is not available.
12.3	Persistence and degradability:	No classification known.
12.4	Biocomumulative potential:	No indication of bio-accumulation potential.
12.5	Results of PBT Assessment:	Does not meet the criteria for classification as PBT.
12.6	Other adverse effects:	No effects known.

13. DISPOSAL CONSIDERATIONS

13.1 Waste disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Ingredient	CAS #	Status	Ref. #
Isobutyl alcohol (I,T); 1-Propanol, 2-methyl- (I,T)	78-83-1	Listed	U140

14. TRANSPORT INFORMATION

14.1 DOT Land transport (ADR/ RID) (49 CFR 172.101):

UN Number:		1993
Transport hazard class:		3





Date Prepared: MSDS No.: Revision No.: 4

5.16.2023 Model Sep

Packing group:	II
Proper shipping name:	Flammable Liquid n.o.s.
Hazard label:	Flammable Liquid

14.2	Air transportation (IATA):		
	UN Number:	1993	
	Transport hazard class:	3	
	Packing group:	II 🛛 📝	
	Proper shipping name:	Flammable Liquid n.o.s.	
	Hazard label:	Flammable Liquid	
14.3	Sea transportation (IMDG)		
	UN Number:	1993	
	UN Number: Transport hazard class:	1993 3	
	Transport hazard class:	3	
	Transport hazard class: Packing group:		

15. REGULATORY INFORMATION

15.1 **Risk Phrases:**

	11	Flammable	
	65	Harmful; may cause lung damage if swollowed.	
	36	Irritating to eyes.	
	67	Vapours may cause drowsiness and dizziness.	
15.2	Safety Phrases		
	2	Keep out of the reach of children.	
	16	Keep away from sources of ignition.	
	23	Do not breathe vapour.	
	24/25	Avoid contact with skin and eyes.	
	62	If swollowed, do not induce vomiting; seek medical attention.	
15.3	Further info:	The information is based on present level of our knowledge. It does not, howev	
		give assurances of product properties and establishes no contract legal rights.	
15.4	Sources of key d	ces of key data used to compile the Safety Data Sheet:	
	O.S.H.A.	www.osha.gov	
	European Chem	icals Bureau (ECB) www.ecb.jrc.it	
	European Chem	ical Substances Information (ESIS) www.ecb.jrc.it/esis	



15.5

Date Prepared: 5.16.2023 MSDS No.: Model Sep Revision No.: 4

A.C.G.I.H.	www.acgih.org			
N.I.O.S.H.	www.cdc.gov/niosh			
U.E.	www.europa.eu/index_it.htm			
I.A.R.C.	www.iarc.fr			
N.T.P.	www.ntp.niehs.nih.gov			
European Community Directives:				
67/548/EEC:	Classification, packaging and labelling of dangerous substances.			
99/45/EC:	Directive concerning the approximation of the laws, regulations and administrative			
	provisions of the Member States relating to the classification, packaging and labelling			
	of dangerous preparations.			
2001/58/EC:	Second amendment of directive 91/155/EEC for the definition of a detailed			
	arrangement of specific information relating to dangerous preparations (art. 14 of			
	99/45/EC) and substances (art. 27 of 67/548/EEC).			
89/656/EEC:	Directive on the minimum health and safety requirements for the use by workers of			
	personal protective equipment at the workplace (third individual directive within the			
	meaning of Article 16 (1) of Directive 89/391/EEC).			
89/686/EEC:	Approximation of the laws of the Member States relating to personal protective			
	equipment.			
94/9/EC:	Approximation of the laws of the Member States concerning equipment and protective			
	at work.			
98/24/EC:	Commission Directive 2008/58/EC of 21 August 2008 amending, for the purpose of its			
	adaptation to technical progress, for the 30th time, Council Directive 67/548/EEC on			
	the approximation of the laws, regulations and administrative provisions relating to the			
	classification, packaging and labelling of dangerous substances.			

16. OTHER INFORMATION

PREPARED BY: Sasha DerAvanessian **REVISION SUMMARY:** This SDS replaces all prior MSDS.

HMIS RATING:

RATINGS:

- 0 = Minimal
- 2 = Slight
- 3 = Serious
- 4 = Severe



MANUFACTURER DISCLAIMER:

To the best of our knowledge, the information contained herein is accurate. However, Harvest Dental Products, LLC does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole



Date Prepared: 5.16.2023 MSDS No.: Model Sep Revision No.: 4

responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.